

Mr. Peter Ramanauskas
PCB Coordinator
U.S. EPA Region 5
Mailstop LU-9J
77 W. Jackson Blvd
Chicago, IL 60604

Arcadis U.S., Inc.
50 Fountain Plaza
Suite 600
Buffalo
New York 14202
Tel 716 667 0900
Fax 716 667 0279
www.arcadis.com

Subject:
GE Aviation – Altitude Test Facility
Annual Remedial Activities Summary Report for 2017

ENVIRONMENT

Dear Mr. Ramanauskas:

The purpose of this letter is to serve as the Annual Remedial Activities Summary Report for the 2017 reporting period in accordance with the Long-Term Remediation Plan (ARCADIS, 2013) and the Consent Agreement and Final Order (TSCA-05-2014-0008) filed on April 28, 2014. The GE Aviation facility in Cincinnati, Ohio (an operating division of the General Electric Company [GE]) did not conduct any pipe removal/paint remedial activities at the Altitude Test Facility between January 1, 2017 – December 31, 2017.

Date:
March 9, 2018

Future pipe removal operations (if any), either scheduled or resulting from inspections and recommendations, will require that work be conducted under the conditions outlined in the Consent Agreement and Final Order (CAFO). Future paint remedial activities (if any), either scheduled or resulting from inspections and recommendations, will also be conducted under the conditions outlined in the CAFO.

GE Aviation is continuing to maintain the fencing around the ATF and continues to conduct PCB ML Marker Inspections. Documentation of the PCB ML Marker inspections for January through December 2017 are included in **Attachment A**. GE will continue to abide by the terms of the CAFO and the Long-Term Plan and we'll submit reports as required.

Please do not hesitate to contact John Rumpf, Counsel for Environmental Affairs at GE Aviation, at (513) 240-5724 or me at (315) 447-4555 if you have any questions.

Sincerely,

Arcadis U.S., Inc.



Lyle Grant
Senior Construction Manager

Copies:
John Rumpf, GE

Attachments:
PCB ML Marker Inspection Logs

Report Type: Inspection Detail
Scope: Evendale, OH

ATF PCB M_L Inspection Log

Date Range: 01-Jan-2017 to 31-Dec-2017

Criteria Summary for Inspection Tool Report Items

Inspection Checklist	Assignment Status	Site	Location	Audit Type	Frequency	Due Date	Auditor	Inspection Date	Compliant	Non-Compliant	Under Evaluation	% Non-Compliant
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Jan-17	Michael D Carroll	10-Jan-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Feb-17	Michael D Carroll	7-Feb-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Mar-17	Michael D Carroll	8-Mar-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Apr-17	Michael D Carroll	10-Apr-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-May-17	Michael D Carroll	9-May-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Jun-17	Michael D Carroll	9-Jun-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Jul-17	Michael D Carroll	10-Jul-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Aug-17	Michael D Carroll	10-Aug-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Sep-17	Michael D Carroll	8-Sep-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Oct-17	Michael D Carroll	9-Oct-17	4	0	0	0%

Report Type: Inspection Detail

Scope: Evendale, OH

ATF PCB M_L Inspection Log

Date Range: 01-Jan-2017 to 31-Dec-2017

Inspection Checklist	Assignment Status	Site	Location	Audit Type	Frequency	Due Date	Auditor	Inspection Date	Compliant	Non-Compliant	Under Evaluation	% Non-Compliant
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Nov-17	Michael D Carroll	13-Nov-17	4	0	0	0%
PCB M _L Inspections	Completed	Evendale, OH	ATF	Safety/Housekeeping Inspection	Monthly	11-Dec-17	Michael D Carroll	4-Dec-17	4	0	0	0%